
NO.	FILE NAME	DESCRIPTION	QTY.
1	Attic - BSL		1
2	Axle, Dexter	6000#, 22.5 UP, 93HF, 78AB T	3
11	BSL Cabinet, Overhead		1
12	BSL Cabinet, Straight Base		1
13	Battery Box		1
14	Battery Vent		1
15	Bumpers	1"	1
16	Cast Corners		1
17	Caster Wheel		2
19	Clearance Light	Red Lens	9
20	Coupler - Flat Nose	25K - Bulldog	1
21	Cover, Spring Assist	Ŭ	1
22	D-Ring	5,000	8
23	Door, Entrance	36" x 76" RHS	1
26	In-Floor Compartment - Lite	Hydraulics Box (14"x30")	i
27	Jack, Power	4500#	T i
28	Jack, Stabilizer	100011	2
29	LICENSE PLATE BRACKET		1
30	Ladder - BSL	16" x 106"	l i
31	Lift - BSL	10 X 100	<del>l i</del>
32	Lift Ramp Storage Assembly		Ηi
33	Light	18" 12v LED	8
34	Light, License Plate	10 12 120	Ť
35	Load Center	30 Amp L/C - 60 Amp Conv	Ηi
36	Loading Light - LED	13.7" 12V Loading Light	3
37	Motorbase Plug	30 Amp	1
38	Outlet	120V 20 Amp	4
39	Outlet	Lift Control Plug	† i
40	Paddle Latch	Em comonieg	2
41	Ramp Extension	16" Transition Flap	1
43	Reflector	Amber	2
44	Rope Ring	AITIDEI	6
45	Slide Out Step	36" Wide	1
46	Spare Tire Assembly	30 11100	<del>+ i</del>
47	Switch	12v Cutoff	T i
48	Switch	2 - 12V Switches	2
49	Switch	1 - 12V Switch	1
50	Tail Light	Slimline	4
	Tire	ST235/80R16	
51		\$1233/8UK16	6
53	Winch Plate Vorks CAD\B\$L\B\$L8.5x24TTA4\		$\perp$





THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF INTECH TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF INTECH TRAILERS IS PROHIBITED.


ALL DIMENSIONS ARE IN INCHES AND ARE NOMINAL. DIMENSIONS ON ACTUAL TRAILER MAY VARY FROM WHAT IS SHOWN ON PRINT BASED ON ACTUAL FRAMING AND TRAILER STRUCTURE. UNLESS NOTED AS CRITICAL

BOM

WG. NO. SHEET 1 OF 5 BSL8.5x24TTA Trailer Assembly - Standard H DWG. NO.








PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF INTECH TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF INTECH TRAILERS IS PROHIBITED.


inTech Trailers SCALE: 1:24 NAME DATE DRAWN 12/27/24 ALL DIMENSIONS ARE IN INCHES AND ARE NOMINAL. DIMENSIONS ON ACTUAL TRAILER MAY VARY FROM WHAT IS SHOWN ON PRINT BASED ON ACTUAL FRAMING AND TRAILER STRUCTURE. UNLESS NOTED AS CRITICAL

inTech - Lite Stacker BSL8.5x24TTA4 - STANDARD INTERIOR FRONT

DWG. NO. WG. NO. SHEET 4 OF 5 REV. BSL8.5x24TTA Trailer Assembly - Standard H





ITEM NO.	FILE NAME	DESCRIPTION	QTY
1	Airline Track		2
2 3	Attic - BSL	011.5	1
	Awning	21' Power	
4	Axle, Dexter	6000#, 22.5 UP, 93HF, 78AB T	3
16 17	BSL Cabinet, L-Base BSL Cabinet, Overhead		++
18	Battery Box		Ηi
19	Battery Vent		⊢i
20	Bumpers	3"	+ i
	Camera Transmitter		→
21 22	Camera Transmitter Camera, Backup		Τİ
23 24	Cast Corners		Τi
24	Caster Wheel		1 2
27	Coupler - Flat Nose	25K - Bulldog	1
28	Cover, Spring Assist		1
29	D-Ring	5,000	8
30	Door, Entrance	36" x 76" RHS	1
31	Door, Generator	36" x 36"	1
32	Drawer Insert Flip Down Shelf	7 Drawer (inTech) 24"	1
31 32 33 36 37	Flip Down Shelf	<u> </u>	2
36	Gen Slides - Lite Trailers In-Floor Compartment - Lite	11 1 1 1 0000	—ļ.
	In-Floor Compartment - Life	Hydraulics Box (14"x30")	_   !
38	Door Caddy Intech		
39	Jack in the Pouch Assembly	4500 !!	!
40	Jack, Power	4500#	1
41 42	Jack, Stabilizer		1 7
43	LICENSE PLATE BRACKET Ladder - BSL	16" x 106"	
44	Lift Assembly SS -BSL	16 × 100	ΤĖ
45	Lift Ramp Storage Assembly		Ηi
46	Light	18" 12v LED	8
47	Light, License Plate	10 121 EED	1
48	Load Center	30 Amp L/C - 60 Amp Conv	l i
49	Loading Light - LED	13.7" 12V Loading Light	3
50	Motorbase Plua	30 Amp	1
51	Motorbase Plug Outlet		1
		120V 20 Amp	4
52	Outlet	Lift Control Plug	1
53 54	Paddle Latch	40" > 0 4"	2
	Ramp Extension	48" x 84"	1
57	Rope Ring	0.411.14.1	6
58	Slide Out Step	36" Wide	
59	Spare Tire Assembly		
60	Strap Hanger - Lite	18"	1
61 62	Switch	12v Cutoff 2 - 12V Switches	$\perp$
62	Switch	2 - 12V Switches	2
63 64	Switch Switch	1 - 12V Switch Awning Command	++
65		Slimline	4
	Tail Light		
66 67	Tire Lite	ST235/80R16	6
	Tongue Cover - Lite Winch Plate Works CAD\BSL\BSL8.5x24TTA4\		




THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF INTECH TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF INTECH TRAILERS IS PROHIBITED.

WG. NO. SHEET 1 OF 5 BSL8.5x24TTA Trailer Assembly - Option H







INTERIOR FRONT SECTION C-C

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF INTECH TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF INTECH TRAILERS IS PROHIBITED.

CALE: 1:24	NAME	DATE	
DRAWN	NjM	9/2/24	

ALL DIMENSIONS ARE IN INCHES AND ARE NOMINAL. DIMENSIONS ON ACTUAL TRAILER MAY VARY FROM WHAT IS SHOWN ON PRINT BASED ON ACTUAL FRAMING AND TRAILER STRUCTURE. UNLESS NOTED AS CRITICAL

## inTech Trailers

inTech - Lite Stacker BSL8.5x24TTA4 OPTIONS INTERIOR FRONT

DWG. NO. SHEET 4 OF 5 REV. BSL8.5x24TTA Trailer Assembly - Option

